

**CLAIM AMENDMENTS**

Claims 1-38 (Canceled).

Claim 39 (new): A seat belt massager for detachably fastening on a seat belt, comprising:

a massager body which has a massage portion defining an inner treatment surface;

a massaging device which comprises a massage generating unit comprising a driving motor and a massage actuator centrifugally mounted thereto in such a manner that said massage actuator is adapted to be driven to rotate centrifugally by said driving motor so as to generate a massage impulse towards said treatment surface which communicates with a user's body, and a control switch electrically connected between said power supply and said massage generating unit for switching said massage generating unit to operate at a predetermined level, wherein said massaging device is supported on said massage portion of said massager body and communicated with said treatment surface in such manner that said massaging device is adapted to effectively deliver said massage impulse to an exterior of said massager body through said treatment surface; and

a seat belt fastening arrangement provided on said massager body for detachably fastening said massager body on said seat belt, wherein said seat belt fastening arrangement comprises at least one seat belt fastener comprising first and second elongated fastening straps rearwardly extended from said massager body wherein two end portions of said fastening straps are adjustably and overlappedly communicating with each other to define a connecting loop within said two fastening straps and said massager body, such that said seat belt is adapted to slidably pass through said connecting loop so as to fasten with said massager body, wherein said seat belt fastener comprises means for adjustably and detachably connecting said two end portions of said two fastening straps in said overlappedly communicating manner for defining said respective connecting loop of said seat belt fastener,

wherein said massager body further has a receiving pocket formed on said massage portion, and defining an access opening which communicates said receiving pocket with an exterior of said massage body wherein said massaging device is

completely disposed and substantially protected in said receiving pocket via said access opening in such a manner that a user is able to selectively actuate said control switch for switching on and switching off said messaging device from an exterior of said receiving pocket.

Claim 40 (new): The seat belt massager, as recited in claim 39, wherein said connecting means of said seat belt fastener comprises a loop fastener and a hoop fastener affixed on said two ends portions of said two fastening straps respectively, and are adapted to overlappedly, adjustably and detachably fasten with each other so as to define said connecting loop for said seat belt passing therethrough.

Claim 41 (new): The seat belt massager, as recited in claim 39, wherein said massager device further comprises a power supply disposed in said receiving pocket and electrically connected with said message generating unit of said message device for providing electrical power thereto, wherein said power supply comprises a battery holder securely mounted in said receiving pocket for receiving at least one battery therein for providing said electrical power.

Claim 42 (new): The seat belt massager, as recited in claim 40, wherein said massager device further comprises a power supply disposed in said receiving pocket and electrically connected with said message generating unit of said message device for providing electrical power thereto, wherein said power supply comprises a battery holder securely mounted in said receiving pocket for receiving at least one battery therein for providing said electrical power.

Claim 43 (new): The seat belt massager, as recited in claim 39, wherein said massager body further comprises a flipping cover movably provided thereon for normally and overlappedly covering said receiving pocket so as to hide said massager device from being directly exposed to an exterior of said massager body.

Claim 44 (new): The seat belt massager, as recited in claim 41, wherein said massager body further comprises a flipping cover movably provided thereon for normally and overlappedly covering said receiving pocket so as to hide said massager device from being directly exposed to an exterior of said massager body.

Claim 45 (new): The seat belt massager, as recited in claim 42, wherein said massager body further comprises a flipping cover movably provided thereon for normally and overlappedly covering said receiving pocket so as to hide said massager device from being directly exposed to an exterior of said massager body.

Claim 46 (new): The seat belt massager, as recited in claim 39, wherein said massager body is fabricated by fabric materials which is sufficiently flexible for effectively transmitting said massaging impulse from said massage generating unit to said user via said treatment surface while maximizing a comfort of said seat belt massager to said user.

Claim 47 (new): The seat belt massager, as recited in claim 42, wherein said massager body is fabricated by fabric materials which is sufficiently flexible for effectively transmitting said massaging impulse from said massage generating unit to said user via said treatment surface while maximizing a comfort of said seat belt massager to said user.

Claim 48 (new): The seat belt massager, as recited in claim 45, wherein said massager body is fabricated by fabric materials which is sufficiently flexible for effectively transmitting said massaging impulse from said massage generating unit to said user via said treatment surface while maximizing a comfort of said seat belt massager to said user.